6. Consider the differential equation $\dfrac{dy}{dx} = \dfrac{1}{3}x(y-2)^2$.

(a) A slope field for the given differential equation is shown below. Sketch the solution curve that passes through the point $(0, 2)$, and sketch the solution curve that passes through the point $(1, 0)$.



(b) Let $y = f(x)$ be the particular solution to the given differential equation with initial condition $f(1) = 0$. Write an equation for the line tangent to the graph of $y = f(x)$ at $x = 1$. Use your equation to approximate $f(0.7)$.

(c) Find the particular solution $y = f(x)$ to the given differential equation with initial condition $f(1) = 0$.

Do not write beyond this border. I don't know why you'd want to.

Do not write beyond this border. It's not very useful space.

GO ON TO THE NEXT PAGE.

6. Consider the differential equation $\frac{dy}{dx} = (3 - y)\cos x$. Let $y = f(x)$ be the particular solution to the differential equation with the initial condition $f(0) = 1$. The function f is defined for all real numbers.

(a) A portion of the slope field of the differential equation is given below. Sketch the solution curve through the point $(0, 1)$.



(b) Write an equation for the line tangent to the solution curve in part (a) at the point $(0, 1)$. Use the equation to approximate $f(0.2)$.

(c) Find $y = f(x)$, the particular solution to the differential equation with the initial condition $f(0) = 1$.

Do not write beyond this border. I don't know why you'd want to.

Do not write beyond this border. It's not very useful space.

GO ON TO THE NEXT PAGE.

4. Consider the differential equation $\frac{dy}{dx} = \frac{y^2}{x-1}$.

(a) On the axes provided, sketch a slope field for the given differential equation at the six points indicated.



(b) Let $y = f(x)$ be the particular solution to the given differential equation with the initial condition $f(2) = 3$. Write an equation for the line tangent to the graph of $y = f(x)$ at $x = 2$. Use your equation to approximate $f(2.1)$.

Do not write beyond this border. Seriously.

Do not write beyond this border. Unless you really want to.

(c) Find the particular solution $y = f(x)$ to the given differential equation with the initial condition $f(2) = 3$.

Do not write beyond this border. I don't know why you'd want to.

Do not write beyond this border. It's not very useful space.

STOP - END OF EXAM

Question 6

(a)



$2 : \begin{cases} 1 : \text{solution curve through } (0, 2) \\ 1 : \text{solution curve through } (1, 0) \end{cases}$

Curves must go through the indicated points, follow the given slope lines, and extend to the boundary of the slope field.

(b) $\left.\dfrac{dy}{dx}\right|_{(x,\, y)=(1,\, 0)} = \dfrac{4}{3}$

An equation for the line tangent to the graph of $y = f(x)$ at $x = 1$ is $y = \frac{4}{3}(x - 1)$.

$f(0.7) \approx \frac{4}{3}(0.7 - 1) = -0.4$

$2 : \begin{cases} 1 : \text{equation of tangent line} \\ 1 : \text{approximation} \end{cases}$

(c) $\dfrac{dy}{dx} = \dfrac{1}{3}x(y - 2)^2$

$$\int \frac{dy}{(y-2)^2} = \int \frac{1}{3}x\, dx$$

$$\frac{-1}{y-2} = \frac{1}{6}x^2 + C$$

$$\frac{1}{2} = \frac{1}{6} + C \Rightarrow C = \frac{1}{3}$$

$$\frac{-1}{y-2} = \frac{1}{6}x^2 + \frac{1}{3} = \frac{x^2 + 2}{6}$$

$$y = 2 - \frac{6}{x^2 + 2}$$

Note: this solution is valid for $-\infty < x < \infty$.

$5 : \begin{cases} 1 : \text{separation of variables} \\ 2 : \text{antiderivatives} \\ 1 : \text{constant of integration} \\ \quad \text{and uses initial condition} \\ 1 : \text{solves for } y \end{cases}$

Note: $0/5$ if no separation of variables

Note: max $3/5$ [1-2-0-0] if no constant of integration

AP® CALCULUS AB
2014 SCORING GUIDELINES

Question 6

Consider the differential equation $\frac{dy}{dx} = (3 - y)\cos x$. Let $y = f(x)$ be the particular solution to the differential equation with the initial condition $f(0) = 1$. The function f is defined for all real numbers.

(a) A portion of the slope field of the differential equation is given below. Sketch the solution curve through the point $(0, 1)$.

(b) Write an equation for the line tangent to the solution curve in part (a) at the point $(0, 1)$. Use the equation to approximate $f(0.2)$.

(c) Find $y = f(x)$, the particular solution to the differential equation with the initial condition $f(0) = 1$.

(a)



1 : solution curve

(b) $\left.\frac{dy}{dx}\right|_{(x,\,y)=(0,\,1)} = 2\cos 0 = 2$

An equation for the tangent line is $y = 2x + 1$.

$f(0.2) \approx 2(0.2) + 1 = 1.4$

$2 : \begin{cases} 1 : \text{tangent line equation} \\ 1 : \text{approximation} \end{cases}$

(c) $\frac{dy}{dx} = (3 - y)\cos x$

$\int \frac{dy}{3 - y} = \int \cos x \, dx$

$-\ln|3 - y| = \sin x + C$

$-\ln 2 = \sin 0 + C \Rightarrow C = -\ln 2$

$-\ln|3 - y| = \sin x - \ln 2$

Because $y(0) = 1$, $y < 3$, so $|3 - y| = 3 - y$

$3 - y = 2e^{-\sin x}$

$y = 3 - 2e^{-\sin x}$

Note: this solution is valid for all real numbers.

$6 : \begin{cases} 1 : \text{separation of variables} \\ 2 : \text{antiderivatives} \\ 1 : \text{constant of integration} \\ 1 : \text{uses initial condition} \\ 1 : \text{solves for } y \end{cases}$

Note: max $3/6$ [1-2-0-0-0] if no constant of integration

Note: $0/6$ if no separation of variables

Question 4

Consider the differential equation $\frac{dy}{dx} = \frac{y^2}{x-1}$.

(a) On the axes provided, sketch a slope field for the given differential equation at the six points indicated.

(b) Let $y = f(x)$ be the particular solution to the given differential equation with the initial condition $f(2) = 3$. Write an equation for the line tangent to the graph of $y = f(x)$ at $x = 2$. Use your equation to approximate $f(2.1)$.

(c) Find the particular solution $y = f(x)$ to the given differential equation with the initial condition $f(2) = 3$.

(a)



$2: \begin{cases} 1: \text{zero slopes} \\ 1: \text{nonzero slopes} \end{cases}$

(b) $\left.\frac{dy}{dx}\right|_{(x,\,y)=(2,\,3)} = \frac{3^2}{2-1} = 9$

An equation for the tangent line is $y = 9(x-2) + 3$.

$f(2.1) \approx 9(2.1 - 2) + 3 = 3.9$

$2: \begin{cases} 1: \text{tangent line equation} \\ 1: \text{approximation} \end{cases}$

(c) $\frac{1}{y^2}\,dy = \frac{1}{x-1}\,dx$

$$\int \frac{1}{y^2}\,dy = \int \frac{1}{x-1}\,dx$$

$$-\frac{1}{y} = \ln|x-1| + C$$

$$-\frac{1}{3} = \ln|2-1| + C \Rightarrow C = -\frac{1}{3}$$

$$-\frac{1}{y} = \ln|x-1| - \frac{1}{3}$$

$$y = \frac{1}{\frac{1}{3} - \ln(x-1)}$$

Note: This solution is valid for $1 < x < 1 + e^{1/3}$.

$5: \begin{cases} 1: \text{separation of variables} \\ 2: \text{antiderivatives} \\ 1: \text{constant of integration and uses initial condition} \\ 1: \text{solves for } y \end{cases}$

Note: max $3/5$ [1-2-0-0] if no constant of integration

Note: $0/5$ if no separation of variables